

Complete DAGs

[DAG is just another TLA I don't approve of; it stands for "Directed Acyclic Graph".]

In a recent manuscript -in the literal sense of the word- : "Some properties of the relative converse" (March 1995), Tony Hoare plays with tetrahedra of which the edges may be directed. (As by-product of his considerations he finds, for instance, that "any non-cyclic ascription of directions to any five of the edges can be non-cyclically extended to the sixth edge.") Here is a little bit of related theory.

* * *

Let K be the complete graph with n vertices, in which each edge has a direction. Then the following 3 statements are equivalent

- (i) K contains no cyclic paths
- (ii) K contains no cyclic paths of length 3
- (iii) the outdegrees of the vertices of K are the values 0 through $n-1$

The equivalences hold for $n=1$, since

for $n=1$ (i), (ii), and (iii), are all true. For general n , the proof proceeds by mathematical induction. The induction step itself is done by cyclic implication: we now consider the complete $(n+1)$ -graph K' with directed edges, and observe for it

(i) $\Rightarrow$ (ii)

This follows -independently of the induction hypothesis- from the fact that "of length 3" is a restriction.

(ii) $\Rightarrow$ (iii)

Let A be of K' a vertex of maximum outdegree; let K be the n -graph that remains after removal of A and its n connecting edges. Because of (ii), also K contains no cycles of length 3 and, ex hypothesi, the outdegrees of its vertices are the values 0 through $n-1$; consequently we are done when we show that A has outdegree n (note that then the vertices of K have the same outdegree in K as in K').

Let B be the vertex with outdegree $n-1$ in K ; since, by construction, A is not a vertex of K , A and B are different vertices. We now first deal with

with the edge AB , and then with the remaining edges connecting A to K .

The direction of edge AB is $A \rightarrow B$ for the assumption $B \rightarrow A$ leads to a contradiction: then B would have in K' the (maximum) outdegree n , and so would A (by virtue of how it has been chosen: outdegree $A \geq$ outdegree B), but in the directed complete $(n+1)$ -graph, at most 1 vertex has the maximum outdegree n .

Let C be a third vertex; then, because C is a vertex of K , in which B has the maximal outdegree $n-1$, the direction of edge BC is $B \rightarrow C$. From $A \rightarrow B$, $B \rightarrow C$ and the absence of cycles of length 3 in K' , we conclude that the direction of AC is $A \rightarrow C$. (Note that, so far, we had only used the absence of cycles in K .) Hence, A has outgoing edges only, quod erat demonstrandum.

(iii) $\Rightarrow$ (i)

Assume (iii) for K' ; let A be the vertex of maximum outdegree n ; let K be the n -graph that remains after removal of A and its n connecting

edges. Possible cyclic paths in K' are then of two kinds, either they include A , or they lie in K .

Because A has outgoing edges only, no cyclic path leads through it; because of assumption (iii) for K' and of the fact that A has outgoing edges only, we conclude (iii) for K and, ex hypothesi, that no cyclic paths lie in K . So, K' contains no cyclic paths, quod erat demonstrandum.

* * *

The absence of cyclic paths in the complete graph tells us - with apologies for the picture! - that each triangle is of the form , i.e. $\rightarrow$ is a transitive relation. Hiding this fact so far, could be considered a conscious obfuscation on my part.

Austin, 29 March 1995

prof. dr. Edsger W. Dijkstra
 Department of Computer Sciences
 The University of Texas at Austin
 Austin, TX 78712-1188
 USA